BEST AVAILABLE COPY

12:18 FAX 212 681 0300 03/08/08

OCF&B

2001 RECEIVED CENTRAL FAX CENTER
MAR' 0 8 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/707,612

Filed

December 24, 2003

Atty. Docket No.

03-1090

For

Translucent, Flame Resistant Composite Materials

Date

March 3, 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

The undersigned hereby certifies that this correspondence (8 pages) is being transmitted by facsimile to the Centralized Facsimile Number (571-273-8300), Commissioner for Patents, P.O. Box 1450, Alexandria,

Virginia 22313-1450 on the date set forth below.

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dat≝

David Kaplan

SUBMISSION OF POWER OF ATTORNEY

Sir:

Please accept the following power of attorney form, and statement under 37 CFR 3.73(b), in the above-referenced patent application. Applicants hereby request that all future correspondence be directed to Customer Number 44702, Ostrager Chong Flaherty & Broitman, P.C., 250 Park Avenue, Suite 825, New York, New York 10177-0899.

Respectfully submitted,

March 3, 2006

Date

oshua S. Broitman Reg. No. 38,006

Ostrager Chong Flaherty &

Broitman P.C.

250 Park Avenue, Suite 825

New York, New York 10177-0899

Tel. No.: (212) 681-0600

MAR 0 8 2006

PTO/SB/80 (04-05)
Approved for use through 11/30/2005, OMB 0551-0035
Trademerk Office: U.S. DEPARTMENT OF COMMERCS

Approximator ded discogn 17/30/2003, CMB 063 F-0035 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid CMB control number.

POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO I hereby revoke all previous powers of attorney given in the application identified in the attached statement under 37 CFR 3.73(b). I hereby appoint: 44702 Practitioners associated with the Customer Number: ORIND Practitioner(s) named below (if more than ten patent practitioners are to be named, then a customer number must be used); Name Registration Малир Registration Number Number Glenn F. Ostrager Andres Madrid 29,963 <u>40,710</u> Dennis M. Flaherty 31,159 Lisa N. Benado 39,905 Joshua S. Broitman 38,006 Terje Gudmestad 32,232 Leighton K. Chong Eric Satermo 27,621 40,159 Manette Dennis John R. Rafter 30,623 28,533 as aflorrey(s) or agent(s) to represent the undersigned before the United States Patent and Trademark Office (USPTO) in connection with any and all patent applications assigned only to the undersigned according to the USPTO assignment records or assignment documents attached to this form in accordance with 37 CFR 3.73(b). Please change the correspondence address for the application identified in the attached statement under 37 CFR 3.73(b) to: 44702 The address associated with Customer Number: OR Firm or Ostrager Chong Flaherty & Broitman PC Individual Name Address 250 Park Avenue, Suite 825 CITY State Ζip New York 10177-0899 NY Country USA Telephone Email (212) 681-0600 gostrager@ocfblaw.com Assignee Name and Address: The Boeing Company 100 N. Riverside Plaza Chicago, IL 60606 A copy of this form, together with a statement under 37 CFR 3.73(b) (Form PTO/SB/96 or equivalent) is required to be filed in each application in which this form is used. The statement under 37 CFR 3.73(b) may be completed by one of the practitioners appointed in this form if the appointed practitioner is authorized to act on behalf of the assignee, and must identify the application in which this Power of Attorney is to be filed. SIGNATURE of Assignee of Record The judificual whose signifyee and titig is supplied below is authorized to act on behalf of the assignee December 22, 2005 Signature Telephone (949) Name 790-1374 The Boeing Company Title This collection of information is required by 37 CFR 1.31, 1.32 and 1.33. The information is required to obtain or rathin a benefit by the public which is to file (and by the LISPTO to process) an application. Confidentiality is governor by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes. to complete, including gathering, preparing, and submitting the completed application term to the USPTO. Time will vary depending upon the individual case. Any

If you need assistance in completing the form, call 1-800-PTO-9199 and salect option 2.

comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Peters and Tundemark Office, U.S. Opportment of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED

FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

03/08/06

MAR' 0 8 2006

PTD/S9/96 (11-05)
Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless a displays a valid OMB control number.

STATEMENT UNDER 37 CFR 3.73(b)	
Applicant/Patent Owner. The Boeing Company	
Application No/Patent No.: see attached Filed/Issue Date: see at	tached
Entitled:	
	painership, university, government opency, esc.)
states that it is: 1. X the assignee of the entire right, title, and interest; or	
2. an assignee of less than the entire right, title and interest (The extent (by percentage) of its ownership interest is %)	
in the patent application/patent identified above by virtue of either:	
A X An assignment from the inventor(s) of the patent application/patent identified about the United States Patent and Trademark Office at Reel Frame thereof is attached.	we. The assignment was recorded or for which a copy
OR B. A chain of title from the inventor(s), of the patent application/patent identified about	we, to the current assignee as follows:
1. From:To:	
1. From: To: To: The document was recorded in the United States Patent and Trademark (Reel, Frame or for which a copy the	Office at exched
2. From:To:To:To:To:To:To:To:	
Reel Frame or for which a copy to	thereof is attached.
3. From: To:	
The document was recorded in the United States Patent and Trademark (Reel, Frame, or for which a copy	Once at thereof is attached.
Additional documents in the chain of title are listed on a supplemental sheet.	
As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of title assignee was, or concurrently is being, submitted for recordation pursuant to 37 CFR 3	e from the original owner to the 1.11.
(NOTE: A separate copy (i.e., a true copy of the original assignment document(s)) Division in accordance with 37 CFR Part 3, to record the assignment in the re- 302.08)	must be submitted to Assignment cords of the USPTO. <u>See</u> MPEP
The undersigned whose tights supplied bolder is outhorized to act on behalf of the as	Signee.
	December 22, 2005
Signature	Date
Terje Gudmestad	(949) 790-1374
Printed or Typed Name	Telephone Number
Counsel, The Boeing Company	

This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or retain a tempt by the public which is to the (and by the USPTO to process) an application. Considerately is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gethering, preparing, and submitting the completed application form to the USPTO. Then will vary dependent upon the individual case. Any commercia on the amount of time you require to complete this form surger suggestions for reducing this burden, should be sent to the Chief information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO 1188 ADDRESS. BEND TO: Commissionate for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

						Adams 4 2 3 3
200253		WIDE-BANDGAP, LATTICE-MISMATCHED	09/976,508	12-Oct-01	012271	0096
	•	WINDOW LAYER FOR A SOLAR ENERGY		3		
	<u>.</u>	CONVERSION DEVICE	10			
200253	Ā	WIDE-BANDGAP, LATTICE-MISMATCHED	10/356,028	31-Jan-03	014259	0577
•		WINDOW LAYER FOR A SOLAR ENERGY				İ
	į	CONVERSION DEVICE			7	
200265	- !	ANTENNA FEEDFORWARD INTERFERENCE	09/853,475	11-May-01	011809	0297
	1	CANCELLATION SYSTEM				
200300		SEMICONDUCTOR CIRCUITS AND DEVICES	09/850.773	08-May-01	011792	0263
	}	ON GERMANIUM SUBSTRATES	, ,			
00-065	C	Liquid Hydrogen Fueled Aircraft with High Wing	29/189,740	10-Sep-03	016149	0392
01-001	-	Method and System for Reducing Stress	10/905,484	06-Jan-05		0545
	Î	Concentrations in Lap Joints	,			
01-1048		Method and System for Utilizing Low Pressure	10/404.742	01-Apr-03	013938	0241
<i>3</i>	· ·	for Perforating and Consolidating an Uncured				02,,
	1	Laminate Sheet in One Cycle of Operation				
71-1163	Ā	Low Chamfer Angled Torque Tube End Fitting	10/710.645	27-Jul-04	Ö14899	0101
) - 100		With Elongated Overflow Groove	1077 10,040	21-001-0-1	V17033	0.0.
	4		09/865,293	25-May-01	011860	0356
01-275	<u>.</u>	Simulation System And Method				
)1-45B	;	Dual-Band Multiple Beam Antenna System For	10/060,822	30-Jan-02	012001	0533
01-458		Communication Satellites	(77 O-1 05	DADECT	10522
J7-458	Α	Dual-Band Multiple Beam Antenna System For	11/259,913	27-Oct-05	01255!	0533
	_}	Communication Satellites	404407 074	00.14	040000	10004
21-519	<u></u>	Electronic Network Fitter for Classified	10/137,974	03-May-02	<u> </u>	0731
01-565	<u> </u>	Aircraft Surface Ice Inhibitor	10/161,238	31-May-02		0635
01-572	<u> </u>	A Method for Detecting Foreign Object Debris	09/954,404	17-Sep-01		0775
01-704	İ	Operating Point Independent Digital Automatic Level Control	10/389,034	14-Mar-03	013876	0735
01-799	, , , , , , , , , , , , , , , , , , ,	Redundant Power Distribution System	10/615,705	0 9 -Jul-03	014267	0982
01-926	4:50 ; 41:5 4 4 	Closed-Loop Pointing System with Spot Beams	10/349,294	22-Jan-03	013693	0930
	Ì	and Wide-Area Beams				j
01-965	M	Method and System Having a Flowable	10/404,993	01-Apr-03	013938	0234
		Pressure Pad for Consolidating an Uncured				
		Laminate Sheet in a Cure Process				
02-0018	Ť	Thermographic System and Method for	10/274,273	18-Oct-02	014219	0150
		Detecting Imperfections within a Bond	1]	
02-0033	1	Operational Ground Support System	10/847,739	17-May-04	015160	0505
2-0033	A	Operational Ground Support System	10/711,610	28-Sep-04		0354
02-0033	E	Carry-On Luggage System for an Operational	11/163,405	18-Oct-05		0986
~~ ~~~	· ·	Ground Support System	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
02-0050	∮	Low-Penetration-Force Pinmat for Perforating	10/397,003	25-Mar-03	013918	0156
7 <u>2</u> -4044	İ	an Uncured Laminate Sheet	10001,000			10.00
02-0128		Multi-Dimensional Fractional Number of Bits	10/142,461	10-May-02	042899	0867
JZ*V 1ZV	1	Modulation Scheme	100172,701	10 May-uz	012000	}
20172	<u> </u>		10/327,317	20-Dec-02	012518	0959
)2-0173		Increased Propellant Performance From Equal	I TOURS	20-000-02	010010	0303
V2 0055	<u> </u>	Volume Propellant Tanks	10070 005	100-00	042704	none
02-0256	1	Rechargeable Composite Ply Applicator	10/272,085	16-Oct-02		0926
)2-0256	A_	Rechargeable Composite Ply Applicator	11/186,582	21-Jul-05		0926
02-0390	Í	Dual Transmission Emergency Communication	10/337,530	07-Jan-03	U13644	0043
	<u> </u>	System			040000	10000
2-0627	į	Improved Honeycomb Cores For Aerospace	10/236,361	06-Sep-02	U13276	0573
	Ĺ	Applications			<u> </u>	

RECEIVED CENTRAL FAX CENTER

MAR 0 8 2006

			و المراجع المراجع ا			(1) 12.19(12) [1]
3-0684	1	Integral Clamping-and-Bucking Apparatus for	10/904,978	08-Dec-04	015424	0962
	1	Utilizing a Constant Force and Installing Rivet				İ
		Fasteners in a Sheet Metal Joint				
3-0755	i	Heavy Particle Lorentz Force Accelerator	10/709,620	18-May-04	014623	0324
3-0835		Aircraft Archway Architecture	10/688,624	17-Oct-03	014625	0753
	Ä	Interior Archway for an Aircraft	29/192,055	17-Oct-03	-	0075
03-0835	B	Aircraft Interior Architecture	10/908,140		ناكس سموس عنها	0075
3-0835	C	Modular Archway for an Aircraft	29/228,800	28-Арг-05		0075
)3-0885	1	Lightweight Composite Fairing Bar and Method	11/160,192	13-Jun-05		0060
,,,,,,,,,,	: 1	for Manufacturing the Same				
3-0925	j	Interior Seating Architecture for Aircraft	10/605,586	10-Oct-03	014040	0514
03-0963	<u>i</u>	MULTIPLE STAYOUT ZONES FOR GROUND-	10/709,348	29-Apr-04		0363
המפמ-לי	<u>!</u>	BASED BRIGHT OBJECT EXCLUSION	100,00,0	20141		
3-1090	,	Translucent, Flame Resistant Composite	10/707,612	24-Dec-03	014217	0512
72-1080	į		10/10/,012	24-14-04-M-	W 9 7 2 1 1	V
	<u> </u>	Materials	10/708,749	23-Mar-04	044440	0233
3-1104	· 	Shower System		09-Sep-03		0326
03-1129	1	Unauthorized Access Embedded Software	10/658,159	na-aeh-na	1014420	0320
	<u> </u>	Protection System	400740 444	22-Jun-04	04.4750	OCOS
)3-1138	į	Undercut for Bushing Retention for SLS Details	10/710,144			0698
03-1140		SLS for Tooling Applications	10/710,163	23-Jun-04		0205
3-1308	1	Mandrel, Mandrel Removal and Mandrel	10/907,320	29-Mar-05	1015838	0315
	į	Fabrication to Support a Monolithic Nacelle				
,	<u>}</u> , •	Composite Panel				
3-1471		Extended Accuracy Variable Capacitance	10/952,952	29-Sep-04	015855	0647
2 (و دانستانيون	<u> </u>	Bridge Accelerometer				
03-1526		Flexible Mandrel for Highly Contoured	10/904,717	24-Nov-04	015391	0571
	: :**	Composite Stringer				
04-0016	A	AN INTEGRATED TRANSPORT SYSTEM AND	10/709,777	27-May-04	014664	0676
	į.	METHOD FOR OVERHEAD STOWAGE AND		•		
	: :	RETRIEVAL		i 	<u> </u>	
04-0054	A	REAL-TIME REFINEMENT METHOD OF	11/028,094	03-Jan-05	016178	0162
		SPACECRAFT STAR TRACKER ALIGNMENT		! !		
	ļ	ESTIMATES	}	<u> </u>		
04-0070	;	Enhanced Pinmat for Manufacturing High-	10/904,012	19-Oct-04	015267	0039
		Strenth Perforated Laminate Sheets			<u></u>	
04-0072	<u> </u>	Overhead Space Access Conversion Monument	10/708,810	26-Mar-04	014451	0789
	1	and Service Area Staircase and Stowage				
04-0073		Stowable Spiral Staircase System for Overhead	10/708,855	29-Mar-04	014457	0168
		Space Access]	
04-0089	1	Determinant Assembly Features for Vehicle	10/904,802	30-Nov-04	015399	0122
	ļ	Structures		<u>,</u>		
14-0092		Overhead Space Access Stowable Staircase	10/708,733	22-Mar-04	014435	0168
04-0097	<u> </u>	MANDREL WITH DIFFERENTIAL IN	10/904,709	24-Nov-04	015391	0450
	}	THERMAL EXPANSION TO ELIMINATE		ļ		
)4-0137	i —	Method to Improve Properties of Aluminum	10/939,528	13-Sep-04	016635	0434
	İ	Alloys Processed by Solid State Joining		;		
04-0208	 	Segmented Flexible Barrel Lay-up Mandrel	10/904.841	01-Dec-04	015404	0307
020 0 04-0304	 	Mist Delivery System	10/711,553			0637
4-0384		Self-Locating Feature for a Pi-Joint Assembly	10/904,800			0995
4-0385	 	Minimum Bond Thickness Assembly Feature	10/904,801	30-Nov-04		0046
r -r-Turbersi që		Assurance		100		
4-0567	1	Aircraft Cabin Crew Complex	10/711,386	15-Sep-04	045430	0758

				F: 500	Maria Chin	-
04-0588	T	Articulated Spacecraft Seat and Stretcher	10/906,482	22-Feb-05	015694	0268
04-0589		Composite Shell Spacecraft Seat	10/905,483	06-Jan-05	015529	0975
04-0590		Adjustable Attenuation System for a Space Re-	10/907,931	21-Apr-05		0242
	ļ	Entry Vehicle Seat				1
04-0667	∳• s.•	Airport Security System	10/906,757	04-Mar-05	015730	0856
04-0681	4.	Protective Cover and Tool Splash for Vehicle	10/907,786	15-Apr-05	_	0530
0 7 000 1	<u> </u>	Components	}	13 141-00	4 (45 07)	1
04-0741	╬	Pivot Mechanism for Quick Installation of	10/905,502	07-Jan-05	0155/3	0015
V 7 -Q1-4 I	1	Stowage Bins or Rotating Items	Two.J.Juz	OI-VEIFUS	010040	10010
04-0747	1	Stowable Table	10/907,600	07-Apr-05	048975	0804
04-0765	 		11/102,401			0082
U4-U/05	•	Layered, Transparent Thermoplastic for	11/102,401	08-Apr-05	V 10203	0002
04 0704	į - ,,	Flammability Resistance	40005 044	04 5 04	045477	0004
04-0791	7	Electromagnetic Mechanical Pulse Forming of	10/905,211	21-Dec-04	11 00 11	0601
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		Fluid Joints for High-Pressure Applications	10000000	00 1 75		2000
04-0793	<del>.</del>	Airplane Interior Systems	10/907,990			0923
34-0805	<del>}</del>	Compensated Composite Structure	10/994,848	22-Noy-04		0742
04-0824	1 [ 	Aircraft Cart Transport and Stowage System	10/906,465	22-Feb-05		0473
04-0859	<u> </u>	Magnetic Null Accelerometer	10/905,007	09-Dec-04	<del></del>	0879
04-0893	<u> </u>	In-Process Vision Detection of Flaws and FOD	10/904,719	24-Nov-04	015397	0395
		By Back Field Illumination				
04-0914		Aircraft Sink with Integrated Waste Disposal	10/907,825	08-Арг-05	015877	0782
	<u> </u>	Function				
04-0977	į	Extended Accuracy Flexured Plate Dual	10/907,751	14-Apr-05	016279	0012
		Capacitance Accelerometer	j			
04-0993	i	Design Methodology to Maximize the	10/907,973	22-Apr-05	015933	0523
	i	Application of Direct Manufactured Aerospace		·		
04-0993	Α	Flow Optimized Stiffener for Improving Rigidity	11/162,261	02-Sep-05	016490	0847
	;	of Ducting		02 00p 00	, ,	1
04-1054	<u>+</u> ;=	Electromagnetic Mechanical Pulse Forming of	11/028,093	03-Jan-05	016176	0741
	i	Fluid Joints for Low-Pressure Applications	177020,000	00 000	5015776	10171
34-1137	<u>.</u> ,	Jet Airplane Configuration	29/220,256	28-Dec-04	015210	0260
34-1137	A	Jet Airplane Configuration	29/220,254			0953
04-1137	B	Jet Airplane Configuration	29/220,255			0268
04-1240	<b>├</b> ८	Method and Apparatus for Optically Detecting	11/164,414	22-Nov-05		0671
74- I 544		and Identifying a Threat	}   1   15   10   10   10   10   10   10	22-1404-013	0 10000	1001
)4-125 <b>6</b>	<u></u>	والوالي والمستخدم والشقاف الكافق والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمستحد والمست	10/907,729	13-Apr-05	045900	0016
	<b></b>	Multi-Ring System for Fuselage Formation	The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon			<del></del>
<b>34-1263</b>		Integrally Damped Composite Aircraft Floor	11/163,957	04-Nov-05	010/32	0779
· .		Panels	4440000	20.0		
) <del>5</del> -0020	<u> </u>	Integrated Wiring for Composite Structures	11/163,001	30-Sep-05		0244
) <del>5-0084</del>	<del> </del>	Aircraft Stowage Bin	11/163,801	31-Oct-05		0199
<b>35-0164</b>		Multiple Attendant Galley	11/160,958	18-Jul-05	THE RESIDENCE IN COLUMN TWO IS NOT THE OWNER.	0577
<b>)5-0263</b>		Universal Apparatus for the Inspection,	11/161,735	15-Aug-05	016403	<b>0090</b>
	! !	Transportation, and Storage of Large Shell				
<u> </u>	<u> </u>	Structures				<u> </u>
5-0288	ļ <u> </u>	Stringer Holding Device	11/162,257	02-Sep-05	<u> </u>	0528
5-0300		Ceiling Illumination for Aircraft Interiors	11/164,267	16-Nov-05	016788	0183
5-0302		Collapsible Guide for Non-Automated Area	11/161,769	16-Aug-05	016406	0593
	<u>;</u>	Inspections		_ }		į
5-0355		Antenna Vibration Isolation Mounting System	11/164,309	17-Nov-05	016795	0416
5-0360		Renewable Superhydrophobic Coating	11/160,600	30-Jun-05	<del></del>	0284
5-0377		Flow Path Splitter Duct	11/163,137	06-Oct-05		0041
05-0402	-	Rotor/Wing Dual Mode Hub Fairing System	11/162,924	28-Sep-05		0959

THE PERSON NAMED IN			-	(4) (1) (1) (1) (1) (4) (4) (4)
05-0410	Dehumidifying Radome Vent	11/164,225	15-Nov-05 016	781 0030
05-0466	Environmentally Stable Hybrid Fabric System for Exterior Protection of an Aircraft	11/163,614	25-Oct-05 016	6680 0681
05-0493	Space Depot For Spacecraft Resupply	11/162,333	07-Sep-05 016	3498 0797
05-0541	Anti-Personnel Airborne Radar Application	11/162.474	12-Sep-05 016	
05-0624	An Uploaded Lift Offset Rotor System For A Helicopter	11/163,414	18-Oct-05 016	
05-0723	Method to Control Thickness in Composite Parts Cured on Closed Angle Tool	11/164,103	10-Nov-05 016	762 0663

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потигр.

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.